

To report an immediately notifiable disease or condition, an outbreak among three or more people or an unusual manifestation of any disease or condition, or any newly apparent or emerging disease or syndrome, call the Provider Access Line at 866-692-3641.

Diseases and conditions in green and marked with an asterisk (*) are immediately notifiable. Diseases and conditions marked with a dagger (†) are immediately notifiable if the case meets the risk group criteria on Page 2. Report by calling the Provider Access Line at 866-692-3641.

For all other diseases and conditions, report them by using the online Provider Reporting Interface and Secure Messenger (PRISM) via NYC.ID at a816-health.nyc.gov/prism; mailing this form to the NYC Department of Health and Mental Hygiene at 42-09 28th St., CN-22, Long Island City, NY 11101; or calling 866-692-3641 for the appropriate fax number. Visit nyc.gov/health/diseasereporting for more information.

Patient Information									
Patient Last Name		Patient First Name		Patient Middle Name		Date of Report _____			
Patient AKA: Last Name		Patient AKA: First Name		Patient AKA: Middle Name					
Age	Date of Birth	Country of Birth		Social Security Number		Date of Diagnosis _____			
Guardian Last Name (If Patient Is a Child)		Guardian First Name		Guardian Middle Name					
Medical Record Number			Medicaid Number			Date of Illness Onset _____			
Patient Home Address			City	State	ZIP Code				
Country			Borough: Manhattan Bronx Brooklyn Queens Staten Island Unknown Not NYC						
Email Address			Mobile Phone		Home Phone		Unhoused		
Patient's sex assigned at birth: Male Female Unknown Sex assignment not listed here (specify): _____			Patient's ethnic or cultural groups (check all that apply): Black White American Indian or Alaska Native Native Hawaiian or Pacific Islander Asian Arab Chinese Dominican Guyanese Haitian Indian Italian Jamaican Jewish Mexican Middle Eastern or North African Puerto Rican Russian Patient does not identify with any specific ethnic or cultural group Unknown Other (specify): _____					Does the patient identify as Hispanic or Latino? Yes, Hispanic or Latino No, not Hispanic or Latino Unknown	
Patient's current gender identify (only if age 12 or older): Woman or girl Man or boy Unknown Transgender woman or transgender girl Transgender man or transgender boy Nonbinary or genderqueer person Gender identity not listed here (specify): _____			Patient's sexual orientation (only if age 12 or older): Gay or lesbian Straight or heterosexual Unknown Bisexual Queer Questioning or not sure Sexual orientation not listed here (specify): _____			Is the patient alive? Yes No Unknown If no, the patient's date of death: _____		Is the patient pregnant? Yes No Unknown If yes, the patient's due date: _____	
						Is the case suspected to be due to health care-associated transmission? Yes No Unknown			
Was the patient admitted to the hospital? Yes No Unknown Admission date: _____ Discharge date: _____			Is the patient a newborn infant? Yes No Unknown If yes, the name of the hospital where the infant was born: _____ The name of the facility where the mother obtained prenatal care: _____						
Foreign Travel Countries: _____ Date returned to the U.S.: _____									
Other Information									
Reporter	Name of Person Reporting Disease		Email Address		Phone		Fax		
	Name of Facility of Person Reporting Disease				National Provider Identifier (NPI) Code		Permanent Facility Identifier (PFI) Code		
	Facility Street Address				City		State		ZIP Code
Facility	Name of Hospital or Health Care Facility Providing Care for Patient				Facility National Provider Identifier (NPI) Code		Permanent Facility Identifier (PFI) Code		
	Facility Street Address				City		State		ZIP Code
Laboratory	Name of Testing Laboratory				Phone		Clinical Laboratory Improvement Amendment (CLIA) Number		
	Laboratory Street Address				City		State		ZIP Code
Provider	Name of Provider Caring for Patient				National Provider Identifier (NPI) Code		Fax		
	Email Address				Phone		Mobile		
	Provider Street Address				City		State		ZIP Code

Are you reporting as a civil surgeon? Yes No Unknown

For all other diseases and conditions, report them by using the online Provider Reporting Interface and Secure Messenger (PRISM) via NYC.ID at **a816-health.nyc.gov/prism**; mailing this form to the NYC Department of Health and Mental Hygiene at 42-09 28th St., CN-22, Long Island City, NY 11101; or calling 866-692-3641 for the appropriate fax number. Visit **nyc.gov/health/diseasereporting** for more information.

* Report suspected and confirmed cases to 866-692-3641. † If the case meets any of the risk group criteria on this page, report immediately to 866-692-3641.

Patient works in (check all that apply):	Child care	Food service	Health care facility	Correctional facility	Long-term care facility or nursing home	Position with routine animal contact
	Clinical or research laboratory		Unknown	Other (specify): _____		
	Name of workplaces: _____		Location of workplaces: _____		Type of work: _____	
Patient attends or resides in:	Assisted living facility	School	Dormitory	Long-term care facility or nursing	Shelter	Day care or group babysit
	Correctional facility home	Unknown	Other congregate living facility (specify): _____			
	Name of facilities: _____		Location of facilities: _____			

Patient Last Name _____	First Name _____	Medical Record Number _____
Environmental Conditions		
Animal bites Exposure to rabies* Including a bite from or other exposure to any animal confirmed to have rabies, any rabies vector species (e.g., raccoon, bat, skunk, fox, or coyote), or any mammal exhibiting signs suggestive of rabies.		Drownings Respiratory impairment from submersion or immersion in liquid. Drowning location: _____ Outcome: Death Morbidity No morbidity
Animal species: _____ Breed: _____ Colors: _____ Owned Stray Unknown Owner's name: _____ Address: _____ City, State, ZIP code: _____ Phone: _____	Date of bite: _____ Area of body bitten: _____ Activity at time of bite: _____ Place of occurrence: _____ Treatment given: _____ Rabies prophylaxis: Yes No HRIG: Yes No Rabies vaccine: Yes No	Window falls For falls from windows of buildings with three or more dwellings by children age 16 and younger, report by calling 646-632-6023 or completing the Child Window Fall Reporting Form.

Poisonings																					
Route of Exposure Ingestion Ocular Dermal Inhalation Aural Bite Sting IV	Chemical Lead For people age 16 and older, indicate: Employer: _____ Employer phone: _____ Carbon monoxide* Source: Furnace or boiler Generator Vehicle Other (specify): _____ Arsenic Cadmium Mercury Pesticide Other (specify): _____	Quantity Milliliter (mL): _____ Mouthful: _____ Sip: _____ Tablespoon: _____ Tab, pill, or cap: _____ Taste, lick, or drop: _____ Teaspoon: _____ Unknown	Reason and Setting Unintentional: Intentional: General Suspected suicide Environmental: Misuse Indoor Abuse Outdoor Unknown Misuse Other: Bite or sting Contamination or Food poisoning tampering Occupational Malicious Dietary Withdrawal Consumer product Adverse reaction: Pesticide Drug Medication Food (accidental ingestion) Other Unknown Unknown	Symptom Assessment (Check all that apply.) <table style="width:100%; border: none;"> <tr> <td>None</td> <td>Seizure</td> </tr> <tr> <td>Nausea, vomiting, or diarrhea</td> <td>Electrolyte abnormalities</td> </tr> <tr> <td>Lethargic, stupor, or coma</td> <td>Cough or shortness of breath</td> </tr> <tr> <td>Agitated</td> <td>Ocular irritation</td> </tr> <tr> <td>Hypertensive</td> <td>Skin irritation</td> </tr> <tr> <td>Hypotensive</td> <td>Unknown</td> </tr> <tr> <td>Tachycardia</td> <td>Other (specify): _____</td> </tr> <tr> <td>Brachycardia</td> <td></td> </tr> </table>		None	Seizure	Nausea, vomiting, or diarrhea	Electrolyte abnormalities	Lethargic, stupor, or coma	Cough or shortness of breath	Agitated	Ocular irritation	Hypertensive	Skin irritation	Hypotensive	Unknown	Tachycardia	Other (specify): _____	Brachycardia	
None	Seizure																				
Nausea, vomiting, or diarrhea	Electrolyte abnormalities																				
Lethargic, stupor, or coma	Cough or shortness of breath																				
Agitated	Ocular irritation																				
Hypertensive	Skin irritation																				
Hypotensive	Unknown																				
Tachycardia	Other (specify): _____																				
Brachycardia																					
Specimen Source Capillary Venous Urine Other (specify): _____ Date collected: _____ Date analyzed: _____		Laboratory accession number: _____ Results (units): _____ Purpose of test: Initial Repeat Follow-up	Vital Signs Body weight: _____ Resp.: _____ Pupils: _____ Pounds Kilograms Temp.: _____ F C Dilated BP: _____ / _____ Pulse: _____ Constricted																		
Provider Treatment <table style="width:100%; border: none;"> <tr> <td>No therapy required</td> <td>Irrigated eye</td> </tr> <tr> <td>Oral fluids</td> <td>Oxygen</td> </tr> <tr> <td>Emesis</td> <td>Naloxone</td> </tr> <tr> <td>Lavage</td> <td>50% dextrose or thiamine</td> </tr> <tr> <td>Activated charcoal</td> <td>Alkalinize urine</td> </tr> <tr> <td>Cathartic</td> <td>N-acetylcysteine (mucromyst)</td> </tr> <tr> <td>Chelation</td> <td>Other (specify): _____</td> </tr> <tr> <td>Insect sting management</td> <td></td> </tr> </table>						No therapy required	Irrigated eye	Oral fluids	Oxygen	Emesis	Naloxone	Lavage	50% dextrose or thiamine	Activated charcoal	Alkalinize urine	Cathartic	N-acetylcysteine (mucromyst)	Chelation	Other (specify): _____	Insect sting management	
No therapy required	Irrigated eye																				
Oral fluids	Oxygen																				
Emesis	Naloxone																				
Lavage	50% dextrose or thiamine																				
Activated charcoal	Alkalinize urine																				
Cathartic	N-acetylcysteine (mucromyst)																				
Chelation	Other (specify): _____																				
Insect sting management																					

Tuberculosis																																					
Patient's status at time of reporting: Under 5 years old with LTBI TB suspect or case Indicate all sites of disease for TB suspect or case: Pulmonary Lymphatic Bone or joint Soft tissue or muscles Peritoneal Meningeal Genitourinary Gastrointestinal Other (specify): _____ Collection date: _____ Unknown	AFB Smear Positive Smear grade: Suspicious 1+ (rare) 2+ (few) 3+ (moderate) 4+ (numerous) Negative Pending Not done Unknown Nucleic Acid Amplification (NAA) Test type: _____ Positive Negative Pending Not done Unknown Mutation analysis test type: _____ Mutation detected? Yes No Unknown If yes, list the genes with mutations: _____ Mycobacterium TB complex culture: Positive Negative Pending Contaminated Not done Unknown Pathology consistent with TB: Yes No Unknown Unknown Date: _____ Pathology specimen number: _____ Pathology specimen source: _____ Pathology findings: _____ Chest X-ray: _____ Normal Abnormal Consistent with TB Evidence of cavity Evidence of milinary TB Not consistent with TB	CT scan MRI _____ Body site: Chest Pelvis Abdomen Spine Head Other (specify): _____ Unknown Neck Normal Abnormal Consistent with TB Evidence of cavity Evidence of milinary TB Not consistent with TB	Test for TB Infection History of positive test result Year (YYYY): _____ Date of most recent test: _____ Type of test: Tuberculin skin test (TST or PPD) QuantiFERON-TB Gold Plus (QFT-Plus) T-SPOT.TB Other (specify): _____ Positive Negative Unknown Indeterminate Borderline Induration: _____ mm																																		
Laboratory Results Specimen number: _____ Unknown Specimen source: Sputum Tracheal aspirate Bronchial fluid or bronchoalveolar lavage Lymph node Lung tissue Pleural fluid Pleura Blood Urine Other (specify): _____		Treatment On anti-TBD medications: Yes No Unknown Please complete for each medication: <table style="width:100%; border: none;"> <thead> <tr> <th style="text-align: left;">Medication</th> <th style="text-align: left;">Dose (mg)</th> <th style="text-align: left;">Frequency per Day</th> <th style="text-align: left;">Start Date</th> </tr> </thead> <tbody> <tr> <td>Isoniazid (INH)</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Rifampin (RIF)</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Pyrazinamide (PZA)</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Ethambutol (EMB)</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Other 1: _____</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Other 2: _____</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>Other 3: _____</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> </tbody> </table> Airborne isolation: Yes No Unknown If yes, date initiated: _____ Date discontinued: _____ Describe other medical problems or other pertinent information in the comments box on Page 4.				Medication	Dose (mg)	Frequency per Day	Start Date	Isoniazid (INH)	_____	_____	_____	Rifampin (RIF)	_____	_____	_____	Pyrazinamide (PZA)	_____	_____	_____	Ethambutol (EMB)	_____	_____	_____	Other 1: _____	_____	_____	_____	Other 2: _____	_____	_____	_____	Other 3: _____	_____	_____	_____
Medication	Dose (mg)	Frequency per Day	Start Date																																		
Isoniazid (INH)	_____	_____	_____																																		
Rifampin (RIF)	_____	_____	_____																																		
Pyrazinamide (PZA)	_____	_____	_____																																		
Ethambutol (EMB)	_____	_____	_____																																		
Other 1: _____	_____	_____	_____																																		
Other 2: _____	_____	_____	_____																																		
Other 3: _____	_____	_____	_____																																		

* Report suspected and confirmed cases to 866-692-3641. † If the case meets any of the risk group criteria on Page 2, report immediately to 866-692-3641.

Patient Last Name	First Name	Medical Record Number
Sexually Transmitted Infections		
For All Sexually Transmitted Infections Reports		
As of the date of this report:		
Were any of the patient's sex partners notified of possible exposure to a sexually transmitted infections (STI)? (Check all that apply.) Yes, our office notified the partner(s). Yes, the patient was asked to notify their partner(s). No Unknown	Did you provide treatment for any of the patient's partners? (Check all that apply.) Yes, I saw sex partner(s) in my office. Yes, I gave extra medication for _____ (number) partner(s). Yes, I wrote a prescription for _____ (number) partner(s). Yes, some other way (specify): _____ _____ No Unknown	Is the patient on pre-exposure prophylaxis (PrEP) to prevent HIV infection? Yes, the patient started PrEP at the time of current STI diagnosis. Yes, the patient was already on PrEP at the time of current STI diagnosis. No Unknown
Indicate the gender of all sexual partners in the past year (check all that apply): Woman Man Unknown Transgender woman Transgender man		
Did you prescribe doxycycline post-exposure prophylaxis (doxy PEP) during this patient encounter to prevent STIs? Yes No Unknown		

Chancroid Specify type of specimen: Penile Vaginal Endocervical Anorectal Oropharyngeal Other (specify): _____ Specimen collection date: _____ Treatment: _____ Treatment date: _____ Unknown	Lymphogranuloma venereum Clinical presentation (check all that apply): Proctitis Lymphadenopathy Buboe Skin lesion Other (specify): _____ Specimen collection date: _____ Treatment: _____ Treatment date: _____ Unknown	For congenital syphilis (continued): Did the infant or child have any signs of congenital syphilis? (Check all that apply.) Condyloma lata Snuffles Syphilitic skin rash Hepatosplenomegaly Jaundice due to syphilitic hepatitis Pseudoparalysis Edema Other (specify): _____ Did the infant or child have long bone X-rays? X-rays show changes consistent with congenital syphilis. X-rays were performed, but no signs of congenital syphilis. X-rays were not performed. Unknown Did the infant or child receive treatment? Yes, with aqueous or procaine penicillin for 10 days. Yes, with a single intramuscular dose of benzathine penicillin G. Yes, with other treatment (specify): _____ No treatment Unknown	Syphilis (continued): Syphilis test types (check all that apply): 1. Serologic tests for syphilis A. Nontreponemal test RPR Reactive Nonreactive Titer: _____ VDRL Reactive Nonreactive Titer: _____ Specimen collection date: _____ B. Treponemal test TP-PA/MHA-TP Reactive Nonreactive FTA Reactive Nonreactive Treponemal IgG Reactive Nonreactive Specimen collection date: _____ 2. Cerebrospinal fluid tests CSF VDRL Reactive Nonreactive Titer: _____ CSF FTA Reactive Nonreactive Other test: _____ Result: _____ Specimen collection date: _____ Elevated CSF protein Yes No Elevated CSF leukocytes Yes No Specimen collection date: _____ 3. Organism visualization Darkfield Positive Negative Nucleic Acid Amplification Test Positive Negative Immunohistochemistry or special stain Positive Negative Direct fluorescence antibody Positive Negative Other test: _____ Result: _____ Specimen collection date: _____
Chlamydia (CT) Specify type of specimen: Endocervical Urethral Anorectal Oropharyngeal Urine Other (specify): _____ Specify test type: Culture Nucleic Acid Amplification Nucleic acid hybridization EIA DFA Other (specify): _____ Specimen collection date: _____ Treatment: _____ Treatment date: _____ Unknown	Herpes, neonatal Herpes simplex virus infection in infants age 60 days and younger. Clinical diagnosis Lab confirmed diagnosis Culture PCR Other (specify): _____ Herpes type: Type 1 Type 2 Not typed Clinical syndrome (check all that apply): Skin, eye, or mucous membrane infection CNS involvement Disseminated disease Herpes lesions present? Yes, anatomic site: _____ No Unknown Specimen collection date: _____ Treatment for infant: _____ Treatment date: _____ Unknown	Syphilis[§] Stage: Congenital Primary, chancre present (check all that apply): Penile Vaginal Endocervical Anorectal Oropharyngeal Other (specify): _____ Secondary (check all that apply): Alopecia Condylomata Mucous patches Rash Other (specify): _____ Early latent (no symptoms, infection of ≤ 1 year) Late latent (no symptoms, infection of > 1 year) Tertiary, gumma, or cardiovascular Neurological symptoms present? Yes No Unknown Ocular symptoms present? Yes No Unknown Otologic symptoms present? Yes No Unknown Treatment (list medication and dosage): _____ _____ Treatment date: _____ Unknown	
Gonorrhea* (GC) Specify type of specimen: Endocervical Urethral Anorectal Oropharyngeal Urine Other: _____ Specify test type: Culture Nucleic acid amplification Nucleic acid hybridization EIA DFA Other (specify): _____ Specimen collection date: _____ Treatment 1 [†] : _____ mg/gram Treatment 2 [†] : _____ mg/gram Treatment date: _____ Unknown	For neonatal herpes and congenital syphilis: Parent who delivered this infant: First name: _____ Last name: _____ Phone: _____ Date of birth: _____ Address: _____ City: _____ ZIP code: _____ Birth hospital: _____ Labor and delivery medical record number: _____ For congenital syphilis: Vital status: Alive Stillborn Born alive, then died Unknown Birth weight in grams: _____ Estimated gestational age (weeks): _____		
Granuloma inguinale Specify type of specimen: Penile Vaginal Endocervical Anorectal Oropharyngeal Other (specify): _____ Specimen collection date: _____ Treatment: _____ Treatment date: _____ Unknown			

[†] For uncomplicated gonococcal infection of the cervix, urethra, rectum, or pharynx among adults and adolescents, administer 500 mg of ceftriaxone intramuscularly in a single dose for people weighing < 150 kg, or 1 g of ceftriaxone for people weighing ≥ 150 kg. If chlamydial infection has not been excluded, treat for chlamydia with 100 mg of doxycycline orally two times per day for seven days. During pregnancy, administer 1 g of azithromycin orally in a single dose.

[§] Licensed health care providers can access current and historical syphilis test results and treatment information in the NYC Syphilis Registry to inform the diagnosis and management of syphilis in their patients. For more information, visit nyc.gov/assets/doh/downloads/pdf/std/hcp-syphilis-registry-check.pdf or call 347-396-7201.

Comments
