



## The American with Disabilities Act (ADA) Attestation

Provider Name/Title (print): \_\_\_\_\_ Date: \_\_\_\_\_

Provider Signature: \_\_\_\_\_

Provider Address: \_\_\_\_\_

Specialty: \_\_\_\_\_

1. Does the office have at least one wheelchair-accessible path from an entrance to an exam room? Yes ☐ No ☐

2. Examination tables and all equipment are accessible to people with disabilities. Yes ☐ No ☐

3. If parking is provided, spaces are reserved for people with disabilities, pedestrian ramps at sidewalks, and drop-offs? Yes ☐ No ☐

4. If parking is provided, are there an adequate number of parking spaces provided (8 feet wide for a car and 5 foot access aisle)?

### Total Spaces

1-25

26-50

51-75

76-100

### Accessible Spaces

1

2

3

4

5. For a provider with a disability-accessible parking space, is there a path of travel from the disability-accessible parking space to the facility entrance that does not require the use of stairs? Yes ☐ No ☐

• Is the path of travel stable, firm and slip resistant? Yes ☐ No ☐

• Except for curb cuts, is the path at least 36 inches wide? Yes ☐ No ☐

6. Is there a method for persons using wheelchairs or that require other mobility assistance to enter as freely as everyone else? Yes ☐ No ☐

• Is that route of travel safe and accessible for everyone, including people with disabilities? Yes ☐ No ☐



7. Does the main exterior entrance door used by persons with mobility disabilities to access public spaces meet the following standards?
- 32 inches clear opening. Yes ☐ No ☐
  - 18 inches of clear wall space on the pull side of the door, next to the handle. Yes ☐ No ☐
  - The threshold edge is no greater than 1/4 inch high or if beveled, no greater than 3/4 inches high. Yes ☐ No ☐
  - The door handle is no higher than 48 inches high and can be operated with a closed fist. Yes ☐ No ☐
8. Are there ramps to permit wheelchair access? Yes ☐ No ☐  
*If yes, complete the following 4 questions:*
- Are the slopes of the ramp accessible for wheelchair access? Yes ☐ No ☐
  - Are the railings sturdy and high enough for wheelchair access? Yes ☐ No ☐
  - Is the width between railings wide enough to accommodate a wheelchair? Yes ☐ No ☐
  - Are the ramps nonslip and free from any obstruction (cracks)? Yes ☐ No ☐
9. If there are stairs at the main entrance, is there also a ramp or lift or is there an alternative accessible entrance? Yes ☐ No ☐
10. Do any inaccessible entrances have signs indicating the location of the nearest accessible entrance? Yes ☐ No ☐
11. Can the accessible entrance be used independently and without assistance? Yes ☐ No ☐
12. Are doormats 1/2 inch high or less with beveled or secured edges? Yes ☐ No ☐
13. Are waiting rooms and exam rooms accessible to people with disabilities? Yes ☐ No ☐
14. The layout of the interior of the building allows people with disabilities to obtain materials and services without assistance. Yes ☐ No ☐
15. The interior doors comply with the criteria set forth above regarding the exterior door. Yes ☐ No ☐
16. The accessible routes to all public spaces in the facility are 31 inches wide. Yes ☐ No ☐
17. There is a 5 foot circle or a T-shaped space for a disabled person using a wheelchair to reverse direction in public areas where services are rendered. Yes ☐ No ☐
18. All buttons or other controls in the hallway are no higher than 42 inches. Yes ☐ No ☐



19. Elevators in the facility meet the following standards:

- There are raised and Braille signs on both door jambs on every floor. Yes ☐ No ☐
- The call buttons in the hallway are not higher than 42 inches. Yes ☐ No ☐
- The controls inside the cab have raised and Braille lettering. Yes ☐ No ☐

20. Are sign language interpreters and other auxiliary aids and services provided in appropriate circumstances? Yes ☐ No ☐

21. Is the public lavatory wheelchair-accessible? Yes ☐ No ☐

22. With respect to the public restroom, the accessible route, the exterior door and the interior stall doors comply with standards set forth above for exterior doors. Yes ☐ No ☐

23. There is at least one wheelchair accessible stall in the public restroom that has an area of at least 5 feet by 5 feet, clear of the door swing; OR there is at least one stall that is less accessible but that provides greater access than a typical stall (either 36 by 69 inches, or 48 by 69 inches). Yes ☐ No ☐

24. In the accessible stall of the public restroom there are grab bars behind and on the side wall nearest the toilet. Yes ☐ No ☐

25. There is one lavatory in the public restroom that meets the following standards:

- 30 inches wide by 48 inches; deep bar space in front.  
(A maximum of 19 inches of the required depth may be under the lavatory.) Yes ☐ No ☐
- The lavatory rim is no higher than 34 inches. Yes ☐ No ☐
- There is at least 29 inches from the floor to the bottom of the lavatory apron. Yes ☐ No ☐
- The faucet can be operated with a closed fist. Yes ☐ No ☐
- The soap dispenser and hand dryers are within reach and usable with one closed fist. Yes ☐ No ☐
- The mirror is mounted with the bottom edge of the reflecting surface 40 inches from the floor or lower. Yes ☐ No ☐

I hereby attest that we are a provider that has a physical site at which FIDA Participants might possibly be physically present and that the answers provided are accurate. Also, I do hereby attest that I hold the authority to make these attestations.

Provider Name/Title (print): \_\_\_\_\_ Date: \_\_\_\_\_

Provider Signature: \_\_\_\_\_